

Coats® Dabond Sling

Coats Dabond Sling is a bonded, twisted continuous filament polyester thread specially manufactured for secure seams on slings.

Unlike conventional polyester bonded threads, Dabond Sling has exceptional bond cohesion, giving it excellent sewing properties even in the toughest of conditions.

COATS
dabond sling



BONDED CONTINUOUS
FILAMENT POLYESTER

WHY CHOOSE DABOND SLING?

- For needle heat protection and smooth sewing
- Excellent bleach resistance
- Best for delicate loads
- Best to wrap about load and grip the most surface area

MAIN USES

- Lifting slings

PRODUCT RANGE

TEX	Ticket	Dtex/ply	Minimum Strength N	Elongation % Min - Max	Needle Size Metric
350	9	1100 x 3	21,850	20 - 35	230
400	8	1444 x 3	28,913	15 - 25	280
500	6	940 x 6	42,258	17 - 26	330

FASTNESS PROPERTIES

Wash Fastness	ISO 105 C06	Grade 4-5
Water Fastness	ISO 105 E01:2010	Grade 4
Rub Fastness	ISO 105 X12:2001	Grade 4-5
Vinyl Transfer	CTC-TP-1032-003	Grade 5



Coats Dabond Sling

EXPERT REAL WORLD SUPPORT

The final cost of any thread also includes hidden costs, fuelled by the methods and tools applied to it. Our experts know exactly how to reduce those costs, save time and increase productivity.



One to One Visits

There's no need to come to us, our experts will travel to your site. In person, online or via the phone, our trained consultants deal with the kind of issues any busy factory may face, providing a solution for today and a blueprint for future efficiency.



Training and Presentations

From yarn selection to stitch formation, the use of colour to solutions for common production issues, we take the learning gathered through years of hands on experience and present it in the form of high impact seminars, workshops and presentations.



Innovation Hub

Collaborate directly with expert R&D technologists at our Innovation Hub to create pioneering and tailored solutions for products ranging from Performance Materials to Apparel and Footwear. Equipped with state-of-the-art technology, we quickly turn ideas into prototype designs ready for manufacturing.

To drive your hidden costs down, talk to Coats. From thread audits in pre-production to the latest technical bulletins, we'll provide support that achieves measurable results.

For more information, talk to your Coats representative today or visit www.coats.com/dabond-sling



BONDED CONTINUOUS
FILAMENT POLYESTER

Since conditions and applications vary considerably in the use of a product, the customer and/or user should assure themselves that the product meets end customer requirements and is suitable for the intended end use. Coats accepts no liability for unsuitable or improper use or application of products. Information provided is based on current averages and should be taken only as indicative. Coats accepts no liability for the preciseness and correctness of the information provided. Product information sheets are updated for time to time, please be sure you are referring to the most recent publication. Coats supports customers with advice on individual applications on request; if you have any questions or concerns, please contact us. © Copyright reserved 2023

