

WHY CHOOSE GRAMAX ECOVERDE?

- Good seam coverage and softness for neat, comfortable seams
- Low shrinkage property ensures no seam distortion after washing
- High level of colour fastness even in demanding washing conditions
- Less energy intensive to produce in comparison to virgin materials, which results in lower carbon emissions during production
- Delivers same level of performance as the virgin equivalent range, whilst offering sustainability benefits
- Global Recycled Standard (GRS) certified
- Standard 100 by Oeko-Tex® Class I

MAIN USES:

- Knitwear
- Sportswear and leisurewear
- Underwear and lingerie
- Babywear
- Household textiles







Coats Gramax EcoVerde

PRODUCT RANGE

Art/Tkt	Ticket	Tex	Length	Average Strength cN	Elongat Min - I		Needle Size Metric
EV11140	140	21	5,000 M	805	20	32	N/A
EV11160	160	18	5,000 M	618	19	28	N/A
EV17080	80	35	10,000 M	1440	19	28	N/A
EV11080	80	35	5,000 M	1440	19	28	N/A

AREAS OF APPLICATION:

Below are our recommendations for soft & secure next-to-skin seams with Coats Gramax EcoVerde:

Stitchtype		Standard
Coverseams 406	Needle Looper	Epic EcoVerde 120 Gramax EcoVerde 160
Overlock 504 or 514	Needle Looper	Epic EcoVerde 120 Gramax EcoVerde 160
Flatseams 605 or 607	Needle Looper Spreader	Epic EcoVerde 120 Gramax EcoVerde 160 Gramax EcoVerde 160

The softness of a seam relates to a number of factors including the exact choice of thread in needle and spreader, fabric, sewn seam direction, stitch density and thread tension.

THERMAL PROPERTIES

Melts at 250 - 260°C, softens at 220 - 240°C	
Shrinkage less than 5% @ 150°C	

CHEMICAL PROPERTIES

Mineral acids:	Resistant to most mineral acids	
Alkalis:	Essentially unaffected by weak alkalis, but less resistant to stronger alkalis, especially at higher temperatures	
Organic solvents:	Generally unaffected, but soluble in some phenolic compounds	
Bleaching:	Unaffected	
Insects / microorganisms (mildew, rot):	Unaffected	
Laundering / dry cleaning:	Unaffected	
Moisture regain:	0.4%	

FASTNESS PROPERTIES

Washing at 60°C	(ISO 105 C10:2006 C(3))	Grade 4
Water Fastness	(ISO 105 E01:2010)	Grade 4
Rub Fastness	(ISO 105 X12:2001)	Grade 4
Hypochlorite Fastness	(ISO 105 N01:1993)	Grade 4
Dry Cleaning Fastness	(ISO 105 D01:2010)	Grade 4
Perspiration Fastness	(ISO 105 E04:2009)	Grade 4
Artificial Light Fastness	(ISO 105 B02:1994)	Grade 4



Since conditions and applications vary considerably in the use of a product, the customer and/or user should assure themselves that the product meets end customer requirements and is suitable for the intended end use. Coats accepts no liability for unsuitable or improper use or application of products. Information provided is based on current averages and should be taken only as indicative. Coats accepts no liability for the preciseness and correctness of the information provided. Product information sheets are updated from time to time, please be sure you are referring to the most recent publication. Coats supports customers with advice on individual applications on request; if you have any questions or concerns, please contact us. © Copyright reserved 2023



Coats Gramax EcoVerde

EXPERT REAL WORLD SUPPORT

The final cost of any thread also includes hidden costs, fuelled by the methods and tools applied to it. Our experts know exactly how to reduce those costs, save time and increase productivity.



Seamworks

Install our Seamworks software to accurately calculate costs prior to production, putting an end to the risk of over or under ordering materials, and incurring unnecessary extra costs. The Seamworks tool is provided with installation, training and ongoing support included.



One to One Visits

There's no need to come to us, our experts will travel to your site. In person, online or via the phone, our trained consultants deal with the kind of issues any busy factory may face, providing a solution for today and a blueprint for future efficiency.



Training and Presentations

From thread selection to stitch formation, the use of colour to solutions for common production issues, we take the learning gathered through years of hands on experience and present it in the form of high impact seminars, workshops and presentations.



Embroidery Service Centre

*** 🕉 *** Our Embroidery Service Centre makes embroidering a design much easier, increasing productivity at the same time as enhancing the design itself. Email the design and any problematic issues to us and our technicians will email the improved design right back.

To drive your hidden costs down, talk to Coats. From thread audits in pre-production to the latest technological bulletins, we'll provide support that achieves measurable results.

For more information, talk to your Coats representative today or visit www.coats.com/gramax-ecoverde

OTHER PRODUCTS IN THE GRAMAX RANGE

To complement the Gramax range, we also have a selection of specialist Gramax threads. Each of these combines the superior properties of the Gramax product with additional benefits specific to the end use.

Product Name	Description	
Gramax	Textured polyester thread that is ideal for use in the loopers of overlocking, serging and cover seaming to provide softness and comfort, especially in next-to-skin seams.	
Gramax RD	100% polyester textured thread which delivers passive flame retardant properties.	

Special use Gramax products are typically available across a select range of ticket sizes and technical information will insome cases vary from the above table.







